Confidence evel	Effect	Intervention category	Outcome category
		Stretching	Other (Restless legs syndrome)
		Physical and muscular fitness	Epidemiological outcomes (Prognosis)
		Exercise	Physical fitness and muscle
			Anthropometric and body composition outcomes
			(Body Mass Index)
			Clinical outcomes (cardiovascular, musculoskeleta
			and metabolites)
			Renal outcomes (Glomerular filtration)
			Fatigue
			Optimization of dialysis
			Others (Cramping, restless legs syndrome, sleep
			quality, inflammatory markers, maturation of
			arteriovenous fistulas and exercise duration time)
			Quality of life and well-being
			Mental health (Depression)
		Combined and/or	Physical and muscular fitness
		multimodal intervention	Anthropometric and body composition outcomes
			(Body fat)
			Clinical outcomes (cardiovascular and
			musculoskeletal)
			Optimization of dialysis
	e ve		Quality of life and well-being
	Positive		Mental health (Depression)
	Ĝ	Others	Physical and muscular fitness
		Integrative and	Others (inflammatory markers)
		complementary practices	Others (initial initiatory markers)
		Exercise	Physical and muscular fitness
		Exercise	Anthropometric and body composition outcomes
			(Muscle mass)
			Clinical outcomes (cardiovascular and
			musculoskeletal)
			Renal outcomes (Multiple or nonspecific)
			Others (Inflammatory markers)
			Quality of life and well-being
			Mental health (anxiety, depression)
		Combined and/or	Physical and muscular fitness
		multimodal intervention	Anthropometric and body composition outcomes
	Ø		(Multiple or nonspecific)
	itive		(Multiple or nonspecific) Clinical (cardiovascular) outcomes
	ositive		(Multiple or nonspecific) Clinical (cardiovascular) outcomes Fatigue
	ly positive		(Multiple or nonspecific) Clinical (cardiovascular) outcomes Fatigue Level of physical activity
	tially positive		(Multiple or nonspecific) Clinical (cardiovascular) outcomes Fatigue Level of physical activity Quality of life and well-being
- 	Potentially positive	Integrative and	(Multiple or nonspecific) Clinical (cardiovascular) outcomes Fatigue Level of physical activity

Table II - Associations between interventions and outcomes according to effect and	
confidence level	

		Exercise	Physical and muscular fitness
			Anthropometric and body composition outcomes
			(Body Mass Index)
	Positive		Quality of life and well-being
	osit	Combined and/or	Physical fitness
	Ъ	multimodal intervention	
		Exercise	Muscular fitness
	e/		Clinical outcomes (cardiovascular and
	sitiv		musculoskeletal)
	őd		Renal outcomes (glomerular filtration)
te	Potentially positive		Optimization of dialysis
era	ntia	Combined and/or	Physical aptitude
Moderate	ote	multimodal intervention	Renal outcomes (multiple or nonspecific)
	д		Quality of life and well-being
		Exercise	Physical and muscular fitness
Low			Anthropometric and body composition outcomes
			(Body Mass Index)
			Clinical (cardiovascular) outcomes
			Other (restless legs syndrome)
	Positive	Combined and/or	Stretching
		multimodal intervention	Other interventions (neuromuscular electrical
Ľ			stimulation)
		Exercise	Renal outcomes (glomerular filtration)
	é		Optimization of dialysis
	usi		
	ncl		
	nconclusive		
	=	Stretching	Adverse effects
		Exercise	Other outcomes (sleep quality)
	ect	Other interventions	Other outcomes (restless legs syndrome)
	No effect	Other Interventions	Other Outcomes (resiless legs syndiome)
	No		
		Exercise	Muscular fitness
Ň			Clinical (cardiovascular) outcomes
× >			
äll	se.		
Critically low	Positive		
ច	д		